		L #	Hits	Search Text	DBs
	1	L1	2422	poll\$3 and registration	USPAT
	2	L2	294	1 and encrypt\$3	USPAT
	3	Г3	252	2 and identification and application	USPAT
	4	L4	59502	demograph\$6 or population	USPAT
	5	L5	88	3 and 4	USPAT
	6	L6	56	5 and question	USPAT
\subset	7	L7	34	6 and query	USPAT
	8	L8	56	2 and survey	USPAT
	9	L9	40	8 and 4	USPAT
	10	L10	19	9 not 7	USPAT
	11	L11	200	vote and internet	USPAT
	12	L12	52	11 and registration	USPAT
	13	L13	13	12 and 3	USPAT
	14/	L14	13	13 and encrypt\$3	USPAT
	15	L15	4	14 and survey	USPAT
	16	L16	61407	poll\$3 or vote	USPAT
	17	Ь17	1427	16 and encrypt\$3	USPAT
	18	L18	223	17 and 4	USPAT
	19	L19	215	18 and (registration or application)	USPAT
	20	L20	196	19 and identification	USPAT
	21	L21	114	20 and question	USPAT
	22	L22	85	21 and accumulat\$3	USPAT
	23	L23	59	22 and profile	USPAT
	24	L24	137	20 not 23	USPAT
	25)	L25	32	24 and election	USPAT

		L #	Hits	Search Text	DBs			
	1 .	L1	26948	vot\$3 or pol1\$3	EPO; JPO; DERWENT; IBM_TDB			
	2	L2	69	1 and encrypt\$3	EPO; JPO; DERWENT; IBM_TDB			
	3	L3	5	2 and regist\$8	EPO; JPO; DERWENT; IBM_TDB			
	4	L4	6	2 and identification	EPO; JPO; DERWENT; IBM_TDB			
3	5)	L5	10	3 or 4	EPO; JPO; DERWENT; IBM_TDB			
ler.	6	L6	2315	vote or poll\$3	US-PGPUB			
considere	∌	L7	21	6 and encrypt\$3 and election	US-PGPUB			
`\	8	L8	26948	vot\$3 or poll\$3	EPO; JPO; DERWENT; IBM_TDB			
}	9	L9	4358	vot\$3 or poll\$3	EPO			
}	10)	L10	15	9 and encrypt\$3	EPO			

		L#	Hits	Search Text	DBs
1	1	L1	61407	vote or poll\$3	USPAT
2	2	L2	1427	1 and encrypt\$3	USPAT
3	3	L3	1567	(devoid or empty or replace or delete or erase or clear) near5 identification	USPAT
consideral C	4)	L4	20	2 and 3	USPAT
Cons. Section	_				

		L#	Hits	Search Text	DBs				
	1	L1	61407	vote or poll\$3	USPAT				
	2	L2	1427	1 and encrypt\$3	USPAT				
	3	L3 493		2 and asynchron\$7	USPAT				
	4	L4 1017		asynchron\$7 with (compute or computing or calculat\$4 or accumulat\$3)	USPAT				
(<u>5)</u>	L5	18	2 and 4	USPAT				
/	6	L6	40	politic\$ with site	USPAT				
	7	ь7	15	politic\$ with web\$5	USPAT				
	8	L8 53		6 or 7	USPAT				
(9 %	L9 2		8 and 2	USPAT				
	19 L10 9 2			2 and xml	USPAT				
	11	L11	35192	pattern near5 data	USPAT				
	12	L12	226	11 and 2	USPAT				
	13	L13	30478	data near type	USPAT				
	14	L14	13 and 12	USPAT					
	15	L15	27138	pattern near5 type	USPAT				
_	16	L16	14	14 and 15					

Cons. Jures

		L#	Hits	Search Text	DBs
	1	L1	262	vot\$3 and encrypt\$3	USPAT
	2	L2	129	1 and analy\$6	USPAT
	3	L3	56009	analy\$6 near5 result	USPAT
	4	L4	4409	analy\$6 near5 profile	USPAT
	5	L5	59355	3 or 4	USPAT
, (<u></u>	L6	24	5 and 1	USPAT
considered	7	ь7	32	2 and demograph\$6	USPAT
Solver 1	8	Г8	17	7 not 6	USPAT
	9	L9	70	1 and query	USPAT
	10	L10	53 [,]	9 not (8 or 6)	USPAT
	11	L11	44	10 and portion	USPAT
	12	L12	11	11 and demograph\$7	USPAT

		L #	Hits	Search Text	DBs
	1	L1	262	vot\$3 and encrypt\$3	USPAT
Cas rent	2)	L2	15	1 and mirror\$3	USPAT